

AIRBLAST HYDRAULIC OIL COOLER HC 13

Hydraulic, airblast cooler

The HC13 is a compact, integrated, hydraulic cooler. This product is particularly suitable for a variety of hydraulic transport applications.


Product features

- Easy to locate and fit
- Excellent cooling performance
- Compact design
- Corrosion proof stainless steel construction
- Return line filter
- High efficiency centrifugal fan
- Fan speed control valve
- 3rd line drain connection
- Minimal maintenance
- Excellent reliability



AIRBLAST HYDRAULIC OIL COOLER HC13

TECHNICAL SPECIFICATIONS



Hydraulic flow rate	80 to 160 litres/minute
Hydraulic pressure	40 to 315 bar
Fan Motor speed	2500 rpm (3000 rpm max)
Heat dissipation max.	13.8 kW
Oil tank capacity	14 litres
Return line filtration	25µ

FEATURES

- Robust stainless steel construction
- Integral temperature & level gauge
- Return line filter pressure indicator
- Centrifugal steel fan for high efficiency
- Fan speed control valve


Also available:

HC14 Hydraulic Oil Cooler

HC11 & HC24 Hydraulic Oil Cooler
with Electric Cooling Fan



HC13 Cooler Dimensions
Weight: 35kg



Other Transairvac products include:

- Hydraulic coolers
- Pressure line filters
- Compressors
- Vacuum pumps
- Blowers
- Rotary lobe pumps

TRANSAIRVAC
INTERNATIONAL LTD

Units 12 – 17, Croft Road Industrial Estate,
Newcastle, Staffordshire ST5 0TW
Tel: +44 (0)1782 710282 Fax: +44 (0)1782 710126
email: office@transairvac.com
web: www.transairvac.com